

Two-Wheel Drive and Four-Wheel Drive Mini Pickup Trucks

SPECIFICATION #2320-21G-01

	Items 1, 49, 97 & 145 2WD Regular Cab Mini Pickup	Items 2, 50, 98 & 146 2WD Regular Cab Mini Pickup	Items 3, 51, 99 & 147 4WD Regular Cab Mini Pickup	Items 4, 52, 100 & 148 2WD Extended Cab Mini Pickup	Items 5, 53, 101 & 149 4WD Extended Cab Mini Pickup
Make & Model	Ford Ranger	Ford Ranger	Dodge Dakota	Chevrolet S10 (CS10653)	Dodge Dakota
GVWR	4360 Lbs.	4360 Lbs.	5000 Lbs.	4600 Lbs.	6010 Lbs.
GAWR, Front	2300 Lbs.	2400 Lbs.	3600 Lbs.	2500 Lbs.	3600 Lbs.
GAWR, Rear	2550 Lbs.	2550 Lbs.	3850 Lbs.	2700 Lbs.	3850 Lbs.
Payload	1260 Lbs.	1260 Lbs.	1360 Lbs.	1389 Lbs.	1580 Lbs.
Bed Size	6.0 Ft.	7.0 Ft.	6.5 Ft.	6.0 Ft.	6.5 Ft.
Wheelbase	112 In.	118 In.	112 In.	123 In.	131 In.
EPA Mileage (City/Highway)	23/26 MPG	23/26 MPG	18/19 MPG	17/22 MPG	14/17 MPG
CARB Emission Certification	LEV	LEV	LEV	ULEV	LEV
Engine	4-Cyl. 2.3 L, 12V, MFI	6-Cyl. 3.0 L MFI	6-Cyl. 3.9 L SFI	6-Cyl. 4.3L MFI	6-Cyl. 3.9L SMPI
Power	143 HP	154 HP	175 HP	180 HP	175 HP
Torque	154 Lb.-Ft.	180 Lb.-Ft.	225 Lb.-Ft.	245 Lb.-Ft.	225 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10	3.73	3.55	3.42	3.55
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P225/70R15 BSW	All Season P225/70R15 BSW	All Season P245/70R16	All Season P205/75R15 BSW	All Season P265/70R16
Fuel Tank Capacity	16.5 Gal.	20 Gal.	22 Gal.	18 Gallons	22 Gallons
Alternator	95 Amps	95 Amps	136 Amps	100 Amps	136 Amps
Battery	540 CCA	540 CCA	600 CCA	525 CCA	600 Amps
Bumpers, Front & Rear	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard
Tow Hooks, Front	Not Available	Not Available	Not Available	Not Available	Not Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Cloth Bench	Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

Contract 1-03-23-20 (Rev.1)

Two-Wheel Drive and Four-Wheel Drive, Full Size, Pickup Trucks

SPECIFICATION #2320-21G-01

	Items 6, 54, 102 & 150 2WD Regular Cab Short Bed Pickup	Items 7, 55, 103 & 151 2WD Extended Cab Short Bed Pickup	Items 8, 56, 104 & 152 2WD Regular Cab Long Bed Pickup	Items 9, 57, 105 & 153 2WD Extended Cab Long Bed Pickup
Make & Model	Chevrolet Silverado 1500	Chevrolet Silverado 1500	GMC Sierra 1500	GMC Sierra 1500 Chevrolet Silverado 1500
GVWR	6100 Lbs.	6200 Lbs.	6400 Lbs.	6400 Lbs.
GAWR, Front	3150 Lbs.	3600 Lbs.	3150 Lbs.	3600 Lbs.
GAWR, Rear	3750 Lbs.	3750 Lbs.	3750 Lbs.	3750 Lbs.
Payload	1958 Lbs.	1645 Lbs.	2123 Lbs.	1590 Lbs.
Bed Size	6.5 Ft.	6.5 Ft.	8 Ft.	8 Ft.
Wheelbase	119 In.	143.5 In.	133 In.	157 In.
EPA Mileage (City/Highway)	15/20 MPG	15/20 MPG	15/20 MPG	15/20 MPG
CARB Emission Certification	LEV	LEV	LEV	LEV
Engine	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI
Power	270 HP	270 HP	270 HP	270 HP
Torque	285 Lb.-Ft.	285 Lb.-Ft.	285 Lb.-Ft.	285 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.42	3.42	3.42	3.42
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P235/75R16 BSW	All Season P235/75R16 BSW	All Season P235/75R16 BSW	All Season P235/75R16 BSW
Fuel Tank Capacity	26 Gallons	26 Gallons	34 Gallons	34 Gallons
Alternator	105 Amps	105 Amps	105 Amps	105 Amps
Battery	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Available	Available	Available	Available
Trailer Tow Package	Available	Available	Available	Available
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Available	Available	Available	Available
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

Contract 1-03-23-20 (Rev.1)

Two-Wheel Drive and Four-Wheel Drive, Full Size, Pickup Trucks

SPECIFICATION #2320-21G-01

	Items 10, 58, 106 & 154 4WD Crew Cab Sport Bed Pickup	Items 11, 59, 107 & 155 2WD Regular Cab Long Bed Pickup	Items 12, 60, 108 & 156 2WD Extended Cab Long Bed Pickup	Items 13, 61, 109 & 157 2WD Crew Cab Long Bed Pickup	Items 14, 62, 110 & 158 2WD Regular Cab Long Bed Pickup
Make & Model	Dodge Ram 1500 Quad	GMC Sierra 2500 HD	Ford F250 Super Duty Super	Ford F250 Super Duty Crew	FORD F250 Super Duty
GVWR	6650 Lbs.	8600 Lbs.	8800 Lbs.	8800 Lbs.	8800 Lbs.
GAWR, Front	TBD	4100 Lbs.	4400 Lbs.	4400 Lbs.	4850 Lbs.
GAWR, Rear	TBD	6000 Lbs.	6085 Lbs.	6085 Lbs.	6084 Lbs.
Payload	1510 Lbs.	3447 Lbs.	3035 Lbs.	2810 Lbs.	2900 Lbs.
Bed Size	6.25 Ft.	8.0 Ft.	8.0 Ft.	8.0 Ft.	8.0 Ft.
Wheelbase	140 In.	133 In.	158 In.	172 In.	137 In.
EPA Mileage (City/Highway)	13/17 MPG	N/A	N/A	N/A	N/A
CARB Emission Certification	LEV	N/A	N/A	N/A	N/A
Engine	8-Cyl. 4.7L SFI	8-Cyl. 6.0L SFI	8-Cyl. 5.4L EFI	8-Cyl. 5.4L EFI	8-Cyl. 7.3L Diesel
Power	235 HP	300 HP	260 HP	260 HP	250 HP
Torque	295 Lb.-Ft.	360 Lb.-Ft.	350 Lb.-Ft.	350 Lb.-Ft.	525 Lb.-Ft.
Transmission	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.55 LS	3.73	3.73	3.73	3.73
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P245/70R17 BSW	All Season LT245/75R16 BSW	All Season LT235/85R16 BSW	All Season LT235/85R16 BSW	All Season LT235/85R16E BSW
Fuel Tank Capacity	26 Gallons	34 Gallons	35 Gallons	38 Gallons	38 Gallons
Alternator	136 Amps	105 Amps	130 Amps	130 Amps	130 Amps
Battery	600 CCA	600 CCA	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Available	Included	Included	Included
Trailer Tow Package	Available	Included	Included	Included	Included
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Available	Requires Upgrade	Requires Upgrade	Requires Upgrade
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Split Cloth Bench w/Folding Rear	Split Cloth Bench	Split Cloth Bench w/Folding Rear	Front and Rear Cloth Bench	Split Cloth Bench

Contract 1-03-23-20 (Rev.1)

Two-Wheel Drive and Four-Wheel Drive, Full Size Pickups and Truck Cab-and-Chassis'

SPECIFICATION #2320-21G-01

	Items 15, 63, 111 & 159 2WD Regular Cab Cab-and-Chassis	Items 16, 64, & 112 2WD Regular Cab Cab-and-Chassis w/Body	Item 16 (LA Delivery Only) 2WD Regular Cab Cab-and-Chassis w/Body	Items 17, 65, 113 & 161 4WD Regular Cab Short Bed Pickup	Items 18, 66, 114 & 162 4WD Extended Cab Short Bed Pickup
Make & Model	Ford F250 Super Duty	Chevrolet Silverado w/T&N Body	Ford F250 w/CTEC Body	Chevrolet Silverado 1500	Chevrolet Silverado 1500 Ext.
GVWR	8800 Lbs.	8600 Lbs.	8800 Lbs.	6100 Lbs.	6400 Lbs.
GAWR, Front	4850 Lbs.	4100 Lbs.	4850 Lbs.	3925 Lbs.	3925 Lbs.
GAWR, Rear	6830 Lbs.	6000 Lbs.	6830 Lbs.	3750 Lbs.	3750 Lbs.
Payload	-----	-----	-----	1661 Lbs.	1490 Lbs.
Bed Size	-----	96" Body	96" Body	6.5 Ft.	6.5 Ft.
Wheelbase	137 In.	133 In.	137 In.	119 In.	143.5 In.
Cab-to-Axle	56 In.	56 In.	56 In.	-----	-----
EPA Mileage (City/Highway)	N/A	N/A	N/A	14/18 MPG	14/18 MPG
CARB Emission Certification	N/A	N/A	N/A	LEV	LEV
Engine	8-Cyl. 5.4L EFI	8-Cyl. 6.0L SFI	8-Cyl. 5.4L EFI	8-Cyl. 4.8L SFI	8-Cyl. 4.8L SFI
Power	245 HP	300 HP	245 HP	270 HP	270 HP
Torque	335 Lb.-Ft.	360 Lb.-Ft.	335 Lb.-Ft.	285 Lb.-Ft.	285 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	3.73	3.73	3.73	3.73 LS	3.73 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT235/85R16E BSW	All Season LT245/75R16 BSW	All Season LT235/85R16E BSW	All Season P245/75R16 BSW	All Season P245/75R16 BSW
Fuel Tank Capacity	38 Gallons	34Gallons	38 Gallons	26 Gallons	26 Gallons
Alternator	130 Amps	105 Amps	130 Amps	105 Amps	105 Amps
Battery	750 CCA	600 CCA	750 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Available	Included	Included	Included
Trailer Tow Package	-----	Included	Included	Available	Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Door Locks, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Available	Available
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade
Seats	Slit Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench	Split Cloth Bench

Four-Wheel Drive Pickups and Truck Cab-and-Chassis'

SPECIFICATION #2320-21G-01

	Items 19, 67, 115 & 163 4WD Regular Cab Long Bed Pickup	Items 20 & 68 (Sacto & SF Delivery Only) 4WD, Extended Cab Long Bed Pickup	Items 116 & 164 (Fresno & LA Delivery Only) 4WD, Extended Cab Long Bed Pickup	Items 21, 69, 117 & 165 4WD Regular Cab Cab-and-Chassis	Items 22, 70, 118 & 166 4WD Crew Cab Short Bed Mini Pickup
Make & Model	Chevrolet Silverado 2500	Ford F250 Super Duty	Chevrolet Silverado 2500	Ford F250 Super Duty	Dodge Dakota Quad Cab
GVWR	9200 Lbs.	8800 Lbs.	9200 Lbs.	8800 Lbs.	6010 Lbs.
GAWR, Front	4500 Lbs.	4400 Lbs.	4800 Lbs.	5200 Lbs.	3600 Lbs.
GAWR, Rear	6084 Lbs.	6085 Lbs.	6084 Lbs.	6084 Lbs.	3806 Lbs.
Payload	3760 Lbs.	2625 Lbs.	3372 Lbs.	-----	1530 Lbs.
Bed Size	8.0 Ft.	8.0 Ft.	8.0 Ft.	-----	5.3Ft.
Wheelbase	133 In.	158 In.	157 In.	137 In.	131 In.
Cab-to-Axle	-----	-----	-----	56 In.	-----
EPA Mileage (City/Highway)	N/A	N/A	N/A	N/A	14/18 MPG
CARB Emission Certification	N/A	N/A	N/A	N/A	LEV
Engine	8-Cyl. 6.0L SFI	8-Cyl. 5.4L EFI	8-Cyl. 6.0L SFI	8-Cyl. 5.4L SMPI	6-Cyl. 3.9L SEFI
Power	300 HP	260 HP	300 HP	260 HP	175 HP
Torque	360 Lb.-Ft.	350 Lb.-Ft.	360 Lb.-Ft.	350 Lb.-Ft.	225 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.10 LS	3.73 LS	4.10 LS	3.73 LS	3.55 LS
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT245/75R16 BSW	All Season LT235/85R16 BSW	All Season LT245/75R16 BSW	All Season LT235/85R16E BSW	All Season P245/70R16 BSW
Fuel Tank Capacity	34 Gallons	38 Gallons	34 Gallons	35 Gallons	24.0 Gallons
Alternator	105 Amps	130 Amps	105 Amps	130 Amps	130 Amps
Battery	600 CCA	750 CCA	600 CCA	750 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard w/Rear Step Bumper
Tow Hooks, Front	Included	Included	Included	Included	Included
Trailer Tow Package	Included	Included	Included	-----	Available
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM Stereo w/Cassette
Restraint System	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags	Dual Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Available
Door Locks, Power	Available	Requires Upgrade	Available	Requires Upgrade	Available
Mirrors, Power	Requires Upgrade	Requires Upgrade	Requires Upgrade	Requires Upgrade	Available
Seats	Split Cloth Bench	Front and Rear Bench	Front and Rear Bench	Split Cloth Bench	Front and Rear Bench

Contract 1-03-23-20 (Rev.1)

Mini and Full Size Passenger Vans

SPECIFICATION #2320-21G-02

	Items 23, 71, 119 & 167 Front-Wheel Drive 7 Passenger Mini Van	Items 24, 72, 120 & 168 All-Wheel Drive 8 Passenger Mini Van	Items 25, 73, 121 & 169 Rear-Wheel Drive 8 Passenger Full Size Van	Items 26, 74, 122 & 170 Rear-Wheel Drive 12 Passenger Full Size Van	Items 27, 75, 123 & 171 Rear-Wheel Drive 15 Passenger Full Size Van
Make & Model	Ford Windstar	Chevrolet Astro Van	Ford E150 Econoline	FORD E-350 Econoline	FORD E-350 Econoline Extended
GVWR	5540 Lbs.	5900 Lbs.	7000 Lbs.	8600	9100 Lbs.
Payload	1200 Lbs.	1579 Lbs.	1920 Lbs.	3345 Lbs.	3400 Lbs.
Wheelbase	121 In.	111 In.	138 In.	138 In.	138 In.
EPA Mileage (City/Highway)	17/23 MPG	15/18 MPG	14/18 MPG	N/A	N/A
CARB Emission Certification	ULEV	ULEV	LEV	N/A	N/A
Engine	6-Cyl. 3.8L SFI	6-Cyl. 4.3L MFI	8-Cyl. 4.6L EFI	8-Cyl. 5.4L SMPI	8-Cyl. 5.4L SFI
Power	200 HP	190 HP	225 HP	225 HP	225 HP
Torque	240 Lb.-Ft.	250 Lb.-Ft.	286 Lb.-Ft.	325 Lb.-Ft.	325 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio	3.56	3.42	3.55	3.73	3.55
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season P215/70R15 BSW	All Season P215/75R15 BSW	All Season P235/75R15XL	All Season LT225/75R16E BSW	All Season LT245/75R16E BSW
Fuel Tank Capacity	26 Gallons	25 Gallons	35 Gallons	35 Gallons	35 Gallons
Alternator	110 Amps	105 Amps	130 Amps	130 Amps	130 Amps
Battery	650 CCA	600 CCA	750 CCA	750 CCA	750 CCA
Trailer Tow Package	Not Available	Available	Available	Available	Available
Air Conditioning	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Included	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Windows, Power	Included	Included	Available	Available	Available
Windows, Privacy Tint	Included	Included	Included	Included	Included
Mirrors, Power	Included	Included	Available	Available	Available
Door Locks, Power	Included	Included	Available	Available	Available
Side Door(s)	Dual Sliding	Right Side Sliding	Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door	Hatch	Panel	Panel	Panel	Panel
Seats	Cloth Front Captain's Chairs w/Center & Rear Bench	Front Cloth Buckets w/Center & Rear Bench	Front Cloth Buckets w/Center & Rear Bench	Front Cloth Buckets w/Center & 2 Rear Bench	Front Cloth Buckets w/Center & 3 Rear Bench

Contract 1-03-23-20(Rev.1)

Mini and Full Size Cargo Vans

SPECIFICATION #2320-21G-02

	Items 28, 76, 124 & 172 Rear-Wheel Drive 15 Passenger Full Size Van	Items 29, 77, 125 & 173 Rear-Wheel Drive 2 Passenger Mini Cargo Van	Items 30, 78, 126 & 174 All-Wheel Drive 2 Passenger Mini Cargo Van	Items 31, 79, 127 & 175 Rear-Wheel Drive 2 Passenger Full Size Cargo Van	Items 32, 80, 128 & 176 Rear-Wheel Drive 2 Passenger Full Size Cargo Van
Make & Model	No Award	GMC Safari/Chevrolet Astro	GMC Safari/Chevrolet Astro	Dodge Ram 1500 Cargo	Dodge Ram 3500 Cargo
GVWR		5600 Lbs.	5850 Lbs.	6600 Lbs.	8700 Lbs.
Payload		1713 Lbs.	1715 Lbs.	2410 Lbs.	3920 Lbs.
Wheelbase		111 In.	111 In.	109 In.	127 In.
EPA Mileage (City/Highway)		15/20 MPG	15/18 MPG	13/18 MPG	N/A
CARB Emission Certification		ULEV	ULEV	LEV	N/A
Engine		6-Cyl. 4.3L MFI	6-Cyl. 4.3L MFI	8-Cyl. 5.2L SMPI	8-Cyl. 5.9L SMPI
Power		190 HP	190 HP	225 HP	245 HP
Torque		250 Lb.-Ft.	250 Lb.-Ft.	295 Lb.-Ft.	335 Lb.-Ft.
Transmission		4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio		3.42	3.42	3.55	3.92
Brakes		Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires		All Season P215/70R16 BSW	All Season P215/70R16 BSW	All Season LT225/75R15 BSW	All Season LT225/75R16E BSW
Fuel Tank Capacity		27 Gallons	27 Gallons	31 Gallons	35 Gallons
Alternator		105 Amps	105 Amps	117 Amps	117 Amps
Battery		600 CCA	600 CCA	600 CCA	600 CCA
Trailer Tow Package		Available	Available	Available	Available
Air Conditioning		Front Only	Front Only	Front Only	Front Only
Radio		AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System		Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control		Available	Available	Available	Available
Steering, Tilt		Included	Included	Included	Included
Windows, Power		Available	Available	Available	Available
Windows, Privacy Tint		Included	Included	Included	Included
Mirrors, Power		Not Available	Not Available	Available	Available
Door Locks, Power		Available	Available	Available	Available
Side Door		Right Side Sliding	Right Side Sliding	Right Side Sliding	Right Side Sliding
Rear Door		Panel	Panel	Panel	Panel
Seats		Front Cloth Buckets	Front Cloth Buckets	Front Cloth Buckets	Front Cloth Buckets

Contract 1-03-23-20 (Rev.1)

Sport Utility Vehicles

SPECIFICATION #2320-21G-05

	Items 33, 81,129 & 177 Four-Wheel Drive 5 Passenger Small 4-Door Utility	Items 34, 82, 130 & 178 Four-Wheel Drive 5 Passenger Mid Size 4-Door Utility	Items 35, 83, 131 & 179 Four-Wheel Drive 5 Passenger Full Size 4-Door Utility	Items 36, 84, 132 & 180 Four-Wheel Drive 8 Passenger Large 4-Door Utility
Make & Model	Jeep Liberty	Ford Explorer	Ford Expedition	Ford Excursion
GVWR	5600 Lbs.	5880 Lbs.	7300 Lbs.	8900 Lbs.
Payload	1150 Lbs.	1430 Lbs	1615 Lbs.	1800 Lbs.
Wheelbase	104 In.	114 In.	119 In.	137 In.
EPA Mileage (City/Highway)	16/20 MPG	15/21 MPG	13/17 MPG	N/A
CARB Emission Certification	ULEV	LEV	ULEV	N/A
Engine	6-Cyl. 3.7L SFI	6-Cyl. 4.0 L SFI	8-Cyl. 5.4L SFI	8-Cyl. 5.4L SFI
Power	210 HP	210 HP	260 HP	255 HP
Torque	235 Lb.-Ft.	254 Lb.-Ft.	350 Lb.-Ft.	350 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	5-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Transfer Case	Part-Time w/ Manual Engagement	Part-Time w/Push Button Controltrac	Part-Time w/Push Button Autotrac	Part-Time w/Push Button Autotrac
Axle Ratio	3.73 LS	3.73 LS	3.73 LS	4.10 LS
Brakes	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS	Power Assist with 4-Wheel ABS
Wheels & Tires	All Season P215/75R16 BSW	All Season P255/70R16 BSW	All Season P265/70R17 BSW	All Season LT265/75R16 BSW
Front Hubs	Automatic Locking	Automatic Locking	Automatic Locking	Automatic Locking
Skid Plates	Included	Included	Included	Included
Front Tow Hooks	Available	Included	Included	Included
Fuel Tank Capacity	18.5 Gallons	22.5 Gallons	28 Gallons	44 Gallons
Alternator	136 Amps	130 Amps	130 Amps	130 Amps
Battery	525 CCA	650 CCA	650 CCA	750 CCA
Trailer Tow Package	Available	Included	Included	Included
Air Conditioning	Front Only	Front (Rear Available)	Front (Rear Available)	Front and Rear
Radio	AM/FM ETR Stereo w/Cassette	AM/FM ETR Stereo w/CD	AM/FM ETR Stereo w/CD	AM/FM ETR Stereo w/CD
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Available	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Windows, Power	Available	Included	Included	Included
Windows, Privacy Tint	Available	Included	Included	Included
Mirrors, Power	Available	Included	Included	Included
Door Locks, Power	Available	Included	Included	Included
Rear Door	Swing Gate w/Flip-up Window	Hatch w/Flip-up Window	Panel (Hatch Available)	Panel (Hatch Available)
Seats	Front Cloth Buckets w/Split Rear Bench	Front Cloth Buckets w/Split Rear Bench	Front Cloth Buckets w/Split Rear Bench	Front Cloth Buckets w/Dual Rear Bench

Contract 1-03-23-20 (Rev.1)

Pickups and Truck Cab-and-Chassis' Over 10,000 Lbs. GVWR

SPECIFICATION #2320-21G-06

	Items 37, 85, 133 & 181 2WD Regular Cab Full Size Pickup	Items 38, 86, 134 & 182 2WD Regular Cab Cab-and-Chassis	Items 39, 87, 135 & 183 2WD Regular Cab Cab-and-Chassis w/Body	Items 40, 88, 136 & 184 4WD Regular Cab Cab-and-Chassis	Items 41, 89, 137 & 185 2WD Extended Cab Cab-and-Chassis
Make & Model	Ford F-350	Chevrolet Silverado 3500	Chevrolet 3500 w/T&N or Knapheide Body	Chevrolet Silverado 3500	Chevrolet Silverado 3500 Extended
GVWR	11000 Lbs.	11400 Lbs.	11400 Lbs.	12000 Lbs.	11400 Lbs.
GAWR, Front	3650 Lbs.	4500 Lbs.	4500 Lbs.	4500 Lbs.	4800 Lbs.
GAWR, Rear	8250 Lbs. (DRW)	8600 Lbs.	8600 Lbs.	8600 Lbs.	8600 Lbs.
Payload	5540 Lbs.	-----	-----	-----	-----
Bed Size	8.0 Ft.	-----	104" Service Body	-----	-----
Wheelbase	137 In.	137 In.	137 In.	137 In.	161.5In.
Cab-to-Axle	-----	60 In.	60 In.	60 In.	60 In.
Engine	10-Cyl. 6.8L EFI	8-Cyl. 6.0L EFI	8-Cyl. 6.0L EFI	8-Cyl. 6.0L EFI	8-Cyl. 6.0L EFI
Power	310 HP	300 HP	300 HP	300 HP	300 HP
Torque	425 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.	360 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.30	4.10	4.10	4.10	4.10
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT235/85R16E BSW	All Season LT215/85R16 BSW	All Season LT215/85R16 BSW	All Terrain LT215/85R16 BSW	All Season LT215/85R16 BSW
Fuel Tank Capacity	38 Gallons	47 Gallons	50 Gallons	50 Gallons	50 Gallons
Alternator	130 Amps	105 Amps	105 Amps	105 Amps	105 Amps
Battery	750 CCA	600 CCA	600 CCA	600 CCA	600 CCA
Bumpers, Front & Rear	Manufacturer's Standard w/Rear Step Bumper	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Available	Available	Included	Available
Trailer Tow Package	Included	-----	Included	-----	-----
Air Conditioning	Included	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags	Dual Front Air Bags
Speed Control	Available	Available	Available	Available	Available
Steering, Tilt	Included	Included	Included	Included	Included
Seats	Cloth Bench	Cloth Bench	Cloth Bench	Cloth Bench	Front and Rear Bench

Contract 1-03-23-20 (Rev.1)

Truck Cab-and-Chassis' Over 10,000 Lbs. GVWR

SPECIFICATION #2320-21G-06

	Items 42, 90, 138 & 186 2WD Crew Cab Cab-and-Chassis	Items 43, 91, 139 & 187 2WD Regular Cab Cab-and-Chassis	Items 44, 92, 140 & 188 2WD Regular Cab Cab-and-Chassis w/Body	Items 45, 93, 141 & 189 2WD Regular Cab Cab-and-Chassis
Make & Model	Ford F350 Super Duty	Ford F450 Super Duty	Ford F450 w/ CTEC Body	Ford F550 Super Duty
GVWR	11000 Lbs.	15000 Lbs.	15000 Lbs.	17500 Lbs.
GAWR, Front	4850 Lbs.	6000 Lbs.	6000 Lbs.	6000 Lbs.
GAWR, Rear	8250 Lbs.	11000 Lbs.	11000 Lbs.	13500 Lbs.
Payload	-----	-----	-----	-----
Bed Size	-----	-----	104 In. Service Body	-----
Wheelbase	176 In.	141 In.	141 In.	165 In.
Cab-to-Axle	60 In.	60 In.	60 In.	84 In.
Engine	10-Cyl. 6.8L EFI	10-Cyl. 6.8L SFI	10-Cyl. 6.8L SFI	8-Cyl. 7.3L Diesel
Power	310 HP	310 HP	310 HP	250 HP
Torque	425 Lb.-Ft.	425 Lb.-Ft.	425 Lb.-Ft.	525 Lb.-Ft.
Transmission	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive	4-Speed Automatic with Overdrive
Axle Ratio, Rear	4.30	4.88	4.88	4.88
Brakes	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS	Power with 4-Wheel ABS
Wheels & Tires	All Season LT235/85R16E BSW	Highway Tread 225/70R19.5F BSW	Highway Tread 225/70R19.5F BSW	All Season 225/70R19.5F BSW
Fuel Tank Capacity	40 Gallons	40 Gallons	40 Gallons	40 Gallons
Alternator	130 Amps	130 Amps	130 Amps	130 Amps
Battery	750 CCA	750 CCA	750 CCA	750 CCA
Bumpers, Front & Rear	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only	Manufacturer's Standard Front Only
Tow Hooks, Front	Included	Included	Included	Included
Trailer Tow Package	-----	-----	-----	-----
Air Conditioning	Included	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Restraint System	Dual Front Air Bags	-----	-----	-----
Speed Control	Included	Included	Included	Included
Steering, Tilt	Included	Included	Included	Included
Seats	Cloth Bench	Cloth Bench	Cloth Bench	Cloth Bench

Contract 1-03-23-20 (Rev.1)

Medium Duty Truck Cab-and-Chassis' To 33,000 Lbs. GVWR

SPECIFICATION #2320-21G-08

	Items 46, 94, 142 & 190 2WD Regular Cab Cab-and-Chassis	Items 47, 95, 143 & 191 2WD Regular Cab Cab-and-Chassis	Items 48, 96, 144 & 192 2WD Regular Cab Cab-and-Chassis
Make & Model	International 4200	International 4200	Freightliner M2
GVWR	25500 Lbs.	31000 Lbs.	33000 Lbs.
GAWR, Front	8000 Lbs.	10000 Lbs.	12000 Lbs.
GAWR, Rear	17500 Lbs.	21000 Lbs.	21000 Lbs.
GCWR	30000 Lbs.	60000 Lbs.	60000 Lbs.
Wheelbase	169 In.	177 In.	186 In.
Cab-to-Axle	102 In.	108 In.	120 In.
Engine	8-Cyl. Turbo Diesel 6.0 L	8-Cyl. Turbo Diesel 6.0 L	6-Cyl. Turbo Diesel 7.2 L
Power	210 HP	230 HP	250 HP
Torque	560 Lb.-Ft.	620 Lb.-Ft.	800 Lb.-Ft.
Transmission	Allison 2000P 5-Speed Automatic with Overdrive	Allison MD3060P 5-Speed Automatic with Overdrive	Allison MD3060P 6-Speed Automatic with Overdrive
Axle Ratio, Rear	4.33 (Others Available)	4.63 (Others Available)	State choice up to 6.14
Brakes	Hydraulic Power Assist w/4-Wheel ABS	Air Powered w/4-Wheel ABS	Air Powered w/4-Wheel ABS
Engine Brake	Not Available	Not Available	Included
Wheels & Tires	Highway Tread 10R22.5 F	Highway Tread 11R22.5 G	Highway Tread 11R22.5 G
Fuel Tank Capacity	50 Gallons	50 Gallons	45 Gallons
Alternator	110 Amps	110 Amps	100 Amps
Battery	1100 CCA	1100 CCA	1520 CCA
Bumper, Front Only	Manufacturer's Standard	Manufacturer's Standard	Manufacturer's Standard
Tow Hooks, Front	Available	Available	Available
Trailer Tow Package	Available	Available	Available
Air Conditioning	Included	Included	Included
Radio	AM/FM ETR Stereo	AM/FM ETR Stereo	AM/FM ETR Stereo
Speed Control	Included	Included	Included
Steering, Tilt	Included	Included	Included
Seats	Cloth Bench	Cloth Bench	Cloth Bench